## **LISTING OF CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## 1-42 (canceled).

- 43. (Previously Presented) A method for treating melanoma in a patient in need thereof, comprising selectively antagonizing the endothelin B receptor (ETB) in said patient.
- 44. (Previously Presented) The method of claim 43, wherein the endothelin B receptor (ETB) is antagonized by administration of a selective endothelin B receptor (ETB) antagonist.
- 45. (Previously Presented) A method for treating melanoma, comprising administering a therapeutically effective amount of a selective endothelin B receptor (ETB) antagonist to a patient in need thereof.
- 46. (Previously Presented) The method of claim 44, wherein the selective endothelin B receptor (ETB) antagonist is a peptide inhibitor.
- 47. (Previously Presented) The method of claim 44, wherein the selective endothelin B receptor (ETB) antagonist is an endothelin B receptor (ETB) antibody.
- 48. (Previously Presented) The method of claim 45, wherein the selective endothelin B receptor (ETB) antagonist is a peptide inhibitor.
- 49. (Previously Presented) The method of claim 45, wherein the selective endothelin B receptor (ETB) antagonist is an endothelin B receptor (ETB) antibody.
- 50. (Previously Presented) The method of claim 44, wherein the selective endothelin B receptor (ETB) antagonist is BQ788.
- 51. (Previously Presented) The method of claim 44, wherein the selective endothelin B receptor (ETB) antagonist is IRL-1038.
- 52. (Previously Presented) The method of claim 44, wherein the selective endothelin B receptor (ETB) antagonist is RES-701-1.

- 53. (Previously Presented) The method of claim 45, wherein the selective endothelin B receptor (ETB) antagonist is BQ788.
- 54. (Previously Presented) The method of claim 45, wherein the selective endothelin B receptor (ETB) antagonist is IRL-1038.
- 55. (Previously Presented) The method of claim 45, wherein the selective endothelin B receptor (ETB) antagonist is RES-701-1.
- 56. (Previously Presented) The method of claim 43, wherein said patient displays one or more atypical moles.
- 57. (Previously Presented) The method of claim 45, wherein said patient displays one or more atypical moles.
- 58. (Previously Presented) The method of claim 44, wherein the ability of the selective endothelin B receptor (ETB) antagonist to antagonize the endothelin B receptor (ETB) is determined *in vitro* by:
  - a) contacting a cell culture expressing endothelin B receptor (ETB) and E-cadherin with endothelin and the compound;
  - b) determining the level of E-cadherin expression; and
  - c) comparing the level of E-cadherin expression determined in step b) to that of a control culture in the absence of said compound, so that an increase in expression of E-cadherin indicates antagonist activity.
- 59. (Previously Presented) The method of claim 45, wherein the ability of the selective endothelin B receptor (ETB) antagonist to antagonize the endothelin B receptor (ETB) is determined *in vitro* by:
  - a) contacting a cell culture expressing endothelin B receptor (ETB) and E-cadherin with endothelin and the compound;
  - b) determining the level of E-cadherin expression; and

c) comparing the level of E-cadherin expression determined in step b) to that of a control culture in the absence of said compound, so that an increase in expression of E-cadherin indicates antagonist activity.